



中国认可
国际互认
检测
TESTING
CNAS L1512

Merieux NutriSciences Testing Technology (Qingdao) Co., Ltd.
梅里埃检测技术(青岛)有限公司
Building 6-105/106, 819 Huaguan Road, High-Tech Zone, Qingdao,
Shandong, China
山东省青岛市高新区华贯路819号6号楼105-106户
T电话: + 86 532 838 16633
<https://www.merieuxnutrisciences.com.cn/>



Certificate of Analysis 分析证书

No.1909208



扫码下载

To 致: 内江市茂源柠檬专业合作社
Address 地址: 中国四川内江市市中区永安镇多向湾村
Date of Report 报告日期 (yyyy/mm/dd): 2023/08/23

Sample Information 样品信息

The following samples were supplied by/on behalf of the client 下列样品是客户或以客户的名义提供的:

Date of Receipt 接样日期 (yyyy/mm/dd): 2023/08/16

Sample Description 样品描述	Condition on Receipt 接收时状态	Sample ID 样品编号
内江市茂源柠檬专业合作社茂源1号基地 柠檬	Solid/固体, Fresh/新鲜, Carton box packaged/纸箱包装, By express/快递	LR1079560-001

Results apply only to the samples as received. The information in italics are supplied by the client and the client takes responsibility for their authenticity. Without the written permission of the company, any party is prohibited from using the test results and the official CoA for undue publicity. 本结果仅适用于到样。以斜体字显示的信息由客户提供, 其真实性由客户负责。未经我公司书面批准, 不得擅自使用检验结果及证书进行不当宣传。

Edited By 编制人: Jennifer 刘兰兰

刘兰兰

Authorised Signatory 授权签字人:

邓锁成

Robert Deng 邓锁成

This Certificate of Analysis (CoA) is subject to our General Terms and Conditions, which is available at our official website, on ARF, on printed CoAs, or on request. CoA authenticity: Electronic CoA in PDF has a digital signature and verification; Hard copy CoA is printed on the unique CoA letterhead; Both electronic and hard copy CoAs are with the authorised signatory's signature, the authorised testing seals including circular normal seal & rectangle paging seal, and QR Code. This CoA shall not be reproduced, except in full, without written approval of the company. The reproduced CoA is invalid if not re-sealed with the authorised testing service seals. 本分析证书 (CoA) 受我公司《通用条款及条件》约束, 该条款可通过我公司网站、分析要求表附页、CoA 专用纸背面或直接索取获得。CoA 真伪鉴别: 电子版带有我公司电子签名并通过校验; 纸质版打印在我公司 CoA 专用纸上; 电子和纸质版均带有我公司授权签字人签名、检验检测专用章 (含普通圆形章及骑缝专用长方形章)、以及二维码。未经我公司书面批准, 不得部分复制 CoA。复制 CoA 未重新加盖我公司检验检测专用章无效。

Results 结果

Start Test Date 检测开始日期: 2023/08/18 End Test Date 检测结束日期: 2023/08/23

Sections 部门	Analytes (Units) 分析物 (单位)	Methods 方法	Rpt Lmt 报告限	Results 结果	Source 限量来源	Specification 限量要求	In Spec 判定
Sample ID 样品编号: LR1079560-001							
Q2 LC	2,4-D and 2,4-D Na (expressed as 2,4-D) 2,4-滴和2,4-滴钠盐 (以2,4-滴表示) (mg/kg) ☆2	EUROL-SRM-02 V 1	0.01	<0.01	GB 2763-2021	R ≤ 1	Pass 符合
Q2 GC	2-Phenyl-phenol 邻苯基苯酚 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 10	Pass 符合
Q2 LC	Abamectin 阿维菌素 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 0.01	Pass 符合
Q2 LC	Acephate 乙酰甲胺磷 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 0.02	Pass 符合
Q2 LC	Acetamiprid 啉虫脒 (mg/kg)	EN 15662:2018	0.01	0.015	GB 2763-2021	R ≤ 0.5	Pass 符合
Q2 LC	Aldicarb 涕灭威 (mg/kg)	EN 15662:2018	0.01	<0.01	---	---	---
Q2 LC	Aldicarb-sulfone (Aldoxycarb) 涕灭威砒威 (mg/kg)	EN 15662:2018	0.01	<0.01	---	---	---
Q2 LC	Aldicarb-sulfoxide 涕灭威亚砒威 (mg/kg)	EN 15662:2018	0.01	<0.01	---	---	---
Q2 LC	Aldicarb (sum of Aldicarb, its sulfone and its sulfoxide expressed as Aldicarb) 涕灭威 (涕灭威, 涕灭威砒威, 涕灭威亚砒威之和, 以涕灭威表示) (mg/kg)	---	0.01	<0.01	GB 2763-2021	R ≤ 0.02	Pass 符合
Q2 GC	Aldrin 艾氏剂 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 0.05	Pass 符合
Q2 LC	Amitraz 双甲脒 (mg/kg)	EN 15662:2018	0.01	<0.01	---	---	---
Q2 LC	Semiamitraz and Semiamitraz chloride 单甲脒和单甲脒盐酸盐 (mg/kg)	EN 15662:2018	0.01	<0.01	---	---	---
Q2 LC	Amitraz (sum of Amitraz and Semiamitraz expressed as Amitraz) 双甲脒 (双甲脒和单甲脒之和, 以双甲脒表示) (mg/kg)	---	0.01	<0.01	GB 2763-2021	R ≤ 0.5	Pass 符合
Q2 GC	Bifenthrin 联苯菊酯 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 0.05	Pass 符合
Q2 LC	Boscalid 啉酰菌胺 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 2	Pass 符合
Q2 GC	Bromopropylate 溴螨酯 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 2	Pass 符合
Q2 LC	Buprofezin 噻嗪酮 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 0.5	Pass 符合
Q2 GC	Cadusafos 硫线磷 (mg/kg)	EN 15662:2018	0.005	<0.005	GB 2763-2021	R ≤ 0.005	Pass 符合

This Certificate of Analysis (CoA) is subject to our General Terms and Conditions, which is available at our official website, on ARF, on printed CoAs, or on request. CoA authenticity: Electronic CoA in PDF has a digital signature and verification; Hard copy CoA is printed on the unique CoA letterhead; Both electronic and hard copy CoAs are with the authorised signatory's signature, the authorised testing seals including circular normal seal & rectangle paging seal, and QR Code. This CoA shall not be reproduced, except in full, without written approval of the company. The reproduced CoA is invalid if not re-sealed with the authorised testing service seals. 本分析证书 (CoA) 受我公司《通用条款及条件》约束, 该条款可通过我公司网站、分析要求表附页、CoA专用纸背面或直接索取获得。CoA真伪鉴别: 电子版带有我公司电子签名并通过校验; 纸质版打印在我公司CoA专用纸上; 电子和纸质版均带有我公司授权签字人签名、检验检测专用章 (含普通圆形章及骑缝专用长方形章)、以及二维码。未经我公司书面批准, 不得部分复制CoA。复制CoA未重新加盖我公司检验检测专用章无效。

Sections 部门	Analytes (Units) 分析物 (单位)	Methods 方法	Rpt Lmt 报告限	Results 结果	Source 限量来源	Specification 限量要求	In Spec 判定
Sample ID 样品编号: LR1079560-001							
Q2 LC	Carbofuran 克百威 (mg/kg)	EN 15662:2018	0.01	<0.01	---	---	---
Q2 LC	Carbofuran-3-hydroxy 3-羟基克百威 (mg/kg)	EN 15662:2018	0.01	<0.01	---	---	---
Q2 LC	Carbofuran (sum of Carbofuran and Carbofuran-3-hydroxy expressed as Carbofuran) 克百威 (克百威和3-羟基克百威之和, 以克百威表示) (mg/kg)	---	0.01	<0.01	GB 2763-2021	R <= 0.02	Pass 符合
Q2 LC	Carbosulfan 丁硫克百威 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R <= 0.01	Pass 符合
Q2 LC	Chlorantraniliprole 氯虫苯甲酰胺 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R <= 0.5	Pass 符合
Q2 GC	Chlordane (Cis-Chlordane and Trans-Chlordane) 氯丹 (顺式和反式氯丹) (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R <= 0.02	Pass 符合
Q2 LC	Chlordimeform 杀虫脒 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R <= 0.01	Pass 符合
Q2 GC	Chloroneb 氯苯甲醚 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R <= 0.01	Pass 符合
Q2 GC	Chlorpyrifos 毒死蜱 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R <= 2	Pass 符合
Q2 LC	Chlorsulfuron 氯磺隆 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R <= 0.01	Pass 符合
Q2 LC	Clofentezine 四螨嗪 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R <= 0.5	Pass 符合
Q2 LC	Clothianidin 噻虫胺 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R <= 0.07	Pass 符合
Q2 LC	Coumaphos 蝇毒磷 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R <= 0.05	Pass 符合
Q2 LC	Cyantraniliprole 溴氰虫酰胺 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R <= 0.7	Pass 符合
Q2 LC	Cyflumetofen 丁氟螨酯 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R <= 0.3	Pass 符合
Q2 GC	Cyfluthrin and beta-Cyfluthrin 氟氯氰菊酯和高效氟氯氰菊酯 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R <= 0.3	Pass 符合
Q2 GC	Cyhalothrin and lambda-Cyhalothrin 氯氟氰菊酯和高效氯氟氰菊酯 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R <= 1	Pass 符合
Q2 GC	Cypermethrin and beta-Cypermethrin 氯氰菊酯和高效氯氰菊酯 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R <= 2	Pass 符合
Q2 GC	DDD (p,p') p,p'-滴滴滴 (mg/kg)	EN 15662:2018	0.01	<0.01	---	---	---
Q2 GC	DDE (p,p') p,p'-滴滴滴 (mg/kg)	EN 15662:2018	0.01	<0.01	---	---	---

This Certificate of Analysis (CoA) is subject to our General Terms and Conditions, which is available at our official website, on ARF, on printed CoAs, or on request. CoA authenticity: Electronic CoA in PDF has a digital signature and verification; Hard copy CoA is printed on the unique CoA letterhead; Both electronic and hard copy CoAs are with the authorised signatory's signature, the authorised testing seals including circular normal seal & rectangle paging seal, and QR Code. This CoA shall not be reproduced, except in full, without written approval of the company. The reproduced CoA is invalid if not re-sealed with the authorised testing service seals. 本分析证书 (CoA) 受我公司《通用条款及条件》约束, 该条款可通过我公司网站、分析要求表附录、CoA专用纸背面或直接索取获得。CoA真伪鉴别: 电子版带有我公司电子签名并通过校验; 纸质版打印在我公司CoA专用纸上; 电子和纸质版均带有我公司授权签字人签名、检验检测专用章 (含普通圆形章及骑缝专用长方形章)、以及二维码。未经我公司书面批准, 不得部分复制CoA。复制CoA未重新加盖我公司检验检测专用章无效。

Sections 部门	Analytes (Units) 分析物 (单位)	Methods 方法	Rpt Lmt 报告限	Results 结果	Source 限量来源	Specification 限量要求	In Spec 判定
Sample ID 样品编号: LR1079560-001							
Q2 GC	DDT (o,p') o,p'-滴滴涕 (mg/kg)	EN 15662:2018	0.01	<0.01	---	---	---
Q2 GC	DDT (p,p') p,p'-滴滴涕 (mg/kg)	EN 15662:2018	0.01	<0.01	---	---	---
Q2 GC	DDT (sum of p,p'-DDT, o,p'-DDT, p,p'-DDE and p,p'-DDD) 滴滴涕 (p,p'-滴滴涕, o,p'-滴滴涕, p,p'-滴滴涕及p,p'-滴滴涕之和) (mg/kg)	---	0.01	<0.01	GB 2763-2021	R ≤ 0.05	Pass 符合
Q2 GC	Deltamethrin 溴氰菊酯 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 0.05	Pass 符合
Q2 LC	Demeton 内吸磷 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 0.02	Pass 符合
Q2 LC	Dichlorvos 敌敌畏 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 0.2	Pass 符合
Q2 GC	Dicofol 三氯杀螨醇 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 0.01	Pass 符合
Q2 GC	Dieldrin 狄氏剂 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 0.02	Pass 符合
Q2 LC	Difenoconazole 苯醚甲环唑 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 0.6	Pass 符合
Q2 LC	Diflubenzuron 除虫脲 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 1	Pass 符合
Q2 LC	Dimethoate 乐果 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 0.01	Pass 符合
Q2 GC	Alpha-Endosulfan 硫丹 (α) (mg/kg)	EN 15662:2018	0.01	<0.01	---	---	---
Q2 GC	Beta-Endosulfan 硫丹 (β) (mg/kg)	EN 15662:2018	0.01	<0.01	---	---	---
Q2 GC	Endosulfan Sulfate 硫丹硫酸酯 (mg/kg)	EN 15662:2018	0.01	<0.01	---	---	---
Q2 GC	Endosulfan (sum of alpha-and beta-isomers and endosulfan-sulfate) 硫丹 (硫丹(α)、硫丹(β)及硫丹硫酸酯之和) (mg/kg)	---	0.01	<0.01	GB 2763-2021	R ≤ 0.05	Pass 符合
Q2 LC	Ethametsulfuron-methyl 胺苯磺隆 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 0.01	Pass 符合
Q2 GC	Ethoprophos 灭线磷 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 0.02	Pass 符合
Q2 GC	Etoazole 乙螨唑 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 0.1	Pass 符合
Q2 GC	Famoxadone 噁唑菌酮 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 1	Pass 符合
Q2 LC	Fenamiphos 苯线磷 (mg/kg)	EN 15662:2018	0.01	<0.01	---	---	---
Q2 LC	Fenamiphos-sulfone 苯线磷砞 (mg/kg)	EN 15662:2018	0.01	<0.01	---	---	---

This Certificate of Analysis (CoA) is subject to our General Terms and Conditions, which is available at our official website, on ARF, on printed CoAs, or on request. CoA authenticity: Electronic CoA in PDF has a digital signature and verification; Hard copy CoA is printed on the unique CoA letterhead; Both electronic and hard copy CoAs are with the authorised signatory's signature, the authorised testing seals including circular normal seal & rectangle paging seal, and QR Code. This CoA shall not be reproduced, except in full, without written approval of the company. The reproduced CoA is invalid if not re-sealed with the authorised testing service seals. 本分析证书 (CoA) 受我公司《通用条款及条件》约束, 该条款可通过我公司网站、分析要求表附页、CoA专用纸背面或直接索取获得。CoA真伪鉴别: 电子版带有我公司电子签名并通过校验; 纸质版打印在我公司CoA专用纸上; 电子和纸质版均带有我公司授权签字人签名、检验检测专用章 (含普通圆形章及骑缝专用长方形章)、以及二维码。未经我公司书面批准, 不得部分复制CoA。复制CoA未重新加盖我公司检验检测专用章无效。

Sections 部门	Analytes (Units) 分析物 (单位)	Methods 方法	Rpt Lmt 报告限	Results 结果	Source 限量来源	Specification 限量要求	In Spec 判定
Sample ID 样品编号: LR1079560-001							
Q2 LC	Fenamiphos-sulfoxide 苯线磷亚砷 (mg/kg)	EN 15662:2018	0.01	<0.01	---	---	---
Q2 LC	Fenamiphos (sum of Fenamiphos, its sulfone and its sulfoxide expressed as Fenamiphos) 苯线磷 (苯线磷, 苯线磷砷, 苯线磷亚砷之和, 以苯线磷表示) (mg/kg)	---	0.01	<0.01	GB 2763-2021	R ≤ 0.02	Pass 符合
Q2 LC	Fenbuconazole 腈苯唑 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 1	Pass 符合
Q2 LC	Fenbutatin oxide 苯丁锡 (mg/kg)	EN 15662:2018	0.05	<0.05	GB 2763-2021	R ≤ 5	Pass 符合
Q2 GC	Fenitrothion 杀螟硫磷 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 0.5	Pass 符合
Q2 GC	Fenpropathrin 甲氰菊酯 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 5	Pass 符合
Q2 LC	Fenpyroximate 唑螨酯 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 0.5	Pass 符合
Q2 GC	Fenthion 倍硫磷 (mg/kg)	EN 15662:2018	0.01	<0.01	---	---	---
Q2 LC	Fenthion-Sulfone 倍硫磷砷 (mg/kg)	EN 15662:2018	0.01	<0.01	---	---	---
Q2 LC	Fenthion-Sulfoxide 倍硫磷亚砷 (mg/kg)	EN 15662:2018	0.01	<0.01	---	---	---
Q2 LC	Fenthion (sum of Fenthion, its sulfone and its sulfoxide expressed as Fenthion) 倍硫磷 (倍硫磷, 倍硫磷砷, 倍硫磷亚砷之和, 以倍硫磷表示) (mg/kg)	---	0.01	<0.01	GB 2763-2021	R ≤ 0.05	Pass 符合
Q2 GC	Fenvalerate and esfenvalerate 氰戊菊酯和S-氰戊菊酯 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 0.2	Pass 符合
Q2 LC	Fipronil 氟虫腈 (mg/kg)	EN 15662:2018	0.005	<0.005	---	---	---
Q2 LC	Fipronil desulfinyl 氟甲腈 (mg/kg)	EN 15662:2018	0.005	<0.005	---	---	---
Q2 LC	Fipronil sulfide 氟虫腈亚砷 (氟虫腈硫醚) (mg/kg)	EN 15662:2018	0.005	<0.005	---	---	---
Q2 LC	Fipronil sulfone 氟虫腈砷 (mg/kg)	EN 15662:2018	0.005	<0.005	---	---	---
Q2 LC	Fipronil (sum of fipronil, Fipronil desulfinyl, Fipronil sulfide and Fipronil sulfone expressed as fipronil) 氟虫腈 (氟虫腈, 氟甲腈, 氟虫腈亚砷, 氟虫腈砷之和, 以氟虫腈表示) (mg/kg)	---	0.005	<0.005	GB 2763-2021	R ≤ 0.02	Pass 符合

This Certificate of Analysis (CoA) is subject to our General Terms and Conditions, which is available at our official website, on ARF, on printed CoAs, or on request. CoA authenticity: Electronic CoA in PDF has a digital signature and verification; Hard copy CoA is printed on the unique CoA letterhead; Both electronic and hard copy CoAs are with the authorised signatory's signature, the authorised testing seals including circular normal seal & rectangle paging seal, and QR Code. This CoA shall not be reproduced, except in full, without written approval of the company. The reproduced CoA is invalid if not re-sealed with the authorised testing service seals. 本分析证书 (CoA) 受我公司《通用条款及条件》约束, 该条款可通过我公司网站、分析要求表附页、CoA专用纸背面或直接索取获得。CoA真伪鉴别: 电子版带有我公司电子签名并通过校验; 纸质版打印在我公司CoA专用纸上; 电子和纸质版均带有我公司授权签字人签名、检验检测专用章 (含普通圆形章及骑缝专用长方形章)、以及二维码。未经我公司书面批准, 不得部分复制CoA。复制CoA未重新加盖我公司检验检测专用章无效。

Sections 部门	Analytes (Units) 分析物 (单位)	Methods 方法	Rpt Lmt 报告限	Results 结果	Source 限量来源	Specification 限量要求	In Spec 判定
Sample ID 样品编号: LR1079560-001							
Q2 LC	Fluazifop and Fluazifop-P 吡氟禾草灵和精吡氟禾草灵 (酸) (mg/kg)	EURL-SRM-02 V 1	0.01	<0.01	---	---	---
Q2 GC	Fluazifop-butyl and Fluazifop-P-butyl 吡氟禾 草灵和精吡氟禾草灵 (mg/k g)	EN 15662:2018	0.01	<0.01	---	---	---
Q2 LC	Fluazifop and Fluazifop-P -butyl (sum of Fluazifop- butyl and Fluazifop expressed as Fluazifop) 吡 氟禾草灵和精吡氟禾草灵 (吡氟禾草灵和吡氟禾草酸之 和, 以吡氟禾草酸表示) (mg/kg) ☆2	---	0.01	<0.01	GB 2763-2021	R <= 0.01	Pass 符合
Q2 GC	Fludioxonil 咯菌腈 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R <= 10	Pass 符合
Q2 LC	Flufenoxuron 氟虫脲 (mg/ kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R <= 0.5	Pass 符合
Q2 LC	Flupyradifurone 氟吡呋喃 酮 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R <= 1.5	Pass 符合
Q2 GC	Fonofos 地虫硫磷 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R <= 0.01	Pass 符合
Q2 LC	Haloxypop and Haloxypop -R 氟吡禾灵和高效氟吡禾灵 (mg/kg)	EURL-SRM-02 V 1	0.01	<0.01	---	---	---
Q2 LC	Haloxypop-methyl and Haloxypop-P-methyl 氟吡 甲禾灵和高效氟吡甲禾灵 (mg/kg)	EN 15662:2018	0.01	<0.01	---	---	---
Q2 LC	Haloxypop-methyl and Haloxypop-P-methyl (Sum of Haloxypop-methyl and Haloxypop-P-methyl, Haloxypop and Haloxypop -R, expressed as Haloxypop-methyl) 氟吡甲 禾灵和高效氟吡甲禾灵 (氟 吡甲禾灵和高效氟吡甲禾灵 、氟吡禾灵和高效氟吡禾灵 之和, 以氟吡甲禾灵表示) (mg/kg)	---	0.01	<0.01	GB 2763-2021	R <= 0.02	Pass 符合
Q2 GC	alpha-HCH (alpha-BHC) α -六六六 (mg/kg)	EN 15662:2018	0.01	<0.01	---	---	---
Q2 GC	beta-HCH (beta-BHC) β- 六六六 (mg/kg)	EN 15662:2018	0.01	<0.01	---	---	---
Q2 GC	delta-HCH (delta-BHC) δ- 六六六 (mg/kg)	EN 15662:2018	0.01	<0.01	---	---	---
Q2 GC	gamma-HCH (gamma-BH C or Lindane) γ-六六六 (林丹) (mg/kg)	EN 15662:2018	0.01	<0.01	---	---	---

This Certificate of Analysis (CoA) is subject to our General Terms and Conditions, which is available at our official website, on ARF, on printed CoAs, or on request. CoA authenticity: Electronic CoA in PDF has a digital signature and verification; Hard copy CoA is printed on the unique CoA letterhead; Both electronic and hard copy CoAs are with the authorised signatory's signature, the authorised testing seals including circular normal seal & rectangle paging seal, and QR Code. This CoA shall not be reproduced, except in full, without written approval of the company. The reproduced CoA is invalid if not re-sealed with the authorised testing service seals. 本分析证书 (CoA) 受我公司《通用条款及条件》约束, 该条款可通过我公司网站、分析要求表附页、CoA专用纸背面或直接索取获得。CoA真伪鉴别: 电子版带有我公司电子签名并通过校验; 纸质版打印在我公司CoA专用纸上; 电子和纸质版均带有我公司授权签字人签名、检验检测专用章 (含普通圆形章及骑缝专用长方形章)、以及二维码。未经我公司书面批准, 不得部分复制CoA。复制CoA未重新加盖我公司检验检测专用章无效。

Sections 部门	Analytes (Units) 分析物 (单位)	Methods 方法	Rpt Lmt 报告限	Results 结果	Source 限量来源	Specification 限量要求	In Spec 判定
Sample ID 样品编号: LR1079560-001							
Q2 GC	HCH (sum of alpha-HCH, beta-HCH, gamma-HCH, delta-HCH) 六六六 (α-六六六, β-六六六, γ-六六六和δ-六六六之和) (mg/kg)	---	0.01	<0.01	GB 2763-2021	R ≤ 0.05	Pass 符合
Q2 GC	Heptachlor 七氯 (mg/kg)	EN 15662:2018	0.01	<0.01	---	---	---
Q2 GC	Heptachlor epoxide A 环氧七氯A (mg/kg)	EN 15662:2018	0.01	<0.01	---	---	---
Q2 GC	Heptachlor epoxide B 环氧七氯B (mg/kg)	EN 15662:2018	0.01	<0.01	---	---	---
Q2 GC	Heptachlor (sum of Heptachlor and Heptachlor epoxide A&B) 七氯 (七氯与环氧七氯之和) (mg/kg)	---	0.01	<0.01	GB 2763-2021	R ≤ 0.01	Pass 符合
Q2 LC	Hexythiazox 噻螨酮 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 0.5	Pass 符合
Q2 LC	Imazalil 抑霉唑 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 5	Pass 符合
Q2 LC	Imidacloprid 吡虫啉 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 2	Pass 符合
Q2 GC	Isazofos 氯唑磷 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 0.01	Pass 符合
Q2 LC	Isocarbophos 水胺硫磷 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 0.02	Pass 符合
Q2 GC	Isofenphos-methyl 甲基异柳磷 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 0.01	Pass 符合
Q2 GC	Malathion 马拉硫磷 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 4	Pass 符合
Q2 GC	Metalaxyl and Metalaxyl-M (expressed as Metalaxyl) 甲霜灵和精甲霜灵 (以甲霜灵表示) (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 5	Pass 符合
Q2 LC	Methamidophos 甲胺磷 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 0.05	Pass 符合
Q2 LC	Methidathion 杀扑磷 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 0.05	Pass 符合
Q2 LC	Methomyl 灭多威 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 0.2	Pass 符合
Q2 LC	Methoxyfenozide 甲氧虫酰肼 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 2	Pass 符合
Q2 LC	Metsulfuron-methyl 甲磺隆 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 0.01	Pass 符合
Q2 LC	Monocrotophos 久效磷 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 0.03	Pass 符合
Q2 LC	Omethoate 氧乐果 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 0.02	Pass 符合

This Certificate of Analysis (CoA) is subject to our General Terms and Conditions, which is available at our official website, on ARF, on printed CoAs, or on request. CoA authenticity: Electronic CoA in PDF has a digital signature and verification; Hard copy CoA is printed on the unique CoA letterhead; Both electronic and hard copy CoAs are with the authorised signatory's signature, the authorised testing seals including circular normal seal & rectangle paging seal, and QR Code. This CoA shall not be reproduced, except in full, without written approval of the company. The reproduced CoA is invalid if not re-sealed with the authorised testing service seals. 本分析证书 (CoA) 受我公司《通用条款及条件》约束, 该条款可通过我公司网站、分析要求表附页、CoA专用纸背面或直接索取获得。CoA真伪鉴别: 电子版带有我公司电子签名并通过校验; 纸质版打印在我公司CoA专用纸上; 电子和纸质版均带有我公司授权签字人签名、检验检测专用章 (含普通圆形章及骑缝专用长方形章)、以及二维码。未经我公司书面批准, 不得部分复制CoA。复制CoA未重新加盖我公司检验检测专用章无效。

Sections 部门	Analytes (Units) 分析物 (单位)	Methods 方法	Rpt Lmt 报告限	Results 结果	Source 限量来源	Specification 限量要求	In Spec 判定
Sample ID 样品编号: LR1079560-001							
Q2 LC	Oxamyl 杀线威 (mg/kg) ☆2	EN 15662:2018	0.01	<0.01	---	---	---
Q2 LC	Oxamyl-oxime 杀线威肟 (mg/kg) ☆2	EN 15662:2018	0.01	<0.01	---	---	---
Q2 LC	Oxamyl (sum of Oxamyl and Oxamyl-oxime expressed as Oxamyl) 杀线威 (杀线威和杀线威肟之和, 以杀线威表示) (mg/kg) ☆2	---	0.01	<0.01	GB 2763-2021	R ≤ 5	Pass 符合
Q2 GC	Parathion 对硫磷 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 0.01	Pass 符合
Q2 GC	Parathion-methyl 甲基对硫磷 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 0.02	Pass 符合
Q2 GC	Pendimethalin 二甲戊灵 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 0.03	Pass 符合
Q2 GC	Permethrin 氯菊酯 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 2	Pass 符合
Q2 GC	Phorate 甲拌磷 (mg/kg)	EN 15662:2018	0.01	<0.01	---	---	---
Q2 LC	Phorate-Sulfone 甲拌磷砒 (mg/kg)	EN 15662:2018	0.01	<0.01	---	---	---
Q2 LC	Phorate-Sulfoxide 甲拌磷亚砒 (mg/kg)	EN 15662:2018	0.01	<0.01	---	---	---
Q2 LC	Phorate (sum of Phorate, its sulfone and its sulfoxide expressed as Phorate) 甲拌磷 (甲拌磷, 甲拌磷砒, 甲拌磷亚砒之和, 以甲拌磷表示) (mg/kg)	---	0.01	<0.01	GB 2763-2021	R ≤ 0.01	Pass 符合
Q2 LC	Phosfolan 硫环磷 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 0.03	Pass 符合
Q2 LC	Phosfolan-methyl 甲基硫环磷 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 0.03	Pass 符合
Q2 GC	Phosmet 亚胺硫磷 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 5	Pass 符合
Q2 LC	Phosphamidon 磷胺 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 0.05	Pass 符合
Q2 LC	Phoxim 辛硫磷 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 0.05	Pass 符合
Q2 GC	Piperonyl Butoxide 增效醚 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 5	Pass 符合
Q2 LC	Pirimicarb 抗蚜威 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 3	Pass 符合
Q2 GC	Propargite 炔螨特 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 5	Pass 符合
Q2 LC	Pyraclostrobin 吡唑醚菌酯 (mg/kg)	EN 15662:2018	0.01	0.010	GB 2763-2021	R ≤ 7	Pass 符合

This Certificate of Analysis (CoA) is subject to our General Terms and Conditions, which is available at our official website, on ARF, on printed CoAs, or on request. CoA authenticity: Electronic CoA in PDF has a digital signature and verification; Hard copy CoA is printed on the unique CoA letterhead; Both electronic and hard copy CoAs are with the authorised signatory's signature, the authorised testing seals including circular normal seal & rectangle paging seal, and QR Code. This CoA shall not be reproduced, except in full, without written approval of the company. The reproduced CoA is invalid if not re-sealed with the authorised testing service seals. 本分析证书 (CoA) 受我公司《通用条款及条件》约束, 该条款可通过我公司网站、分析要求表附页、CoA专用纸背面或直接索取获得。CoA真伪鉴别: 电子版带有我公司电子签名并通过校验; 纸质版打印在我公司CoA专用纸上; 电子和纸质版均带有我公司授权签字人签名、检验检测专用章 (含普通圆形章及骑缝专用长方形章)、以及二维码。未经我公司书面批准, 不得部分复制CoA。复制CoA未重新加盖我公司检验检测专用章无效。

Sections 部门	Analytes (Units) 分析物 (单位)	Methods 方法	Rpt Lmt 报告限	Results 结果	Source 限量来源	Specification 限量要求	In Spec 判定
Sample ID 样品编号: LR1079560-001							
Q2 LC	Pyrethrin I and Pyrethrin II 除虫菊素 I 和除虫菊素 II (mg/kg)	EN 15662:2018	0.05	<0.05	GB 2763-2021	R ≤ 0.05	Pass 符合
Q2 LC	Pyrimethanil 嘧霉胺 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 7	Pass 符合
Q2 LC	Pyriproxyfen 吡丙醚 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 0.5	Pass 符合
Q2 LC	Saflufenacil 苯嘧磺草胺 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 0.01	Pass 符合
Q2 LC	Spinosad (sum of Spinosad A and Spinosad D) 多杀霉素 (多杀霉素A和多杀霉素D之和) (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 0.3	Pass 符合
Q2 GC	Spirodiclofen 螺螨酯 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 0.4	Pass 符合
Q2 LC	Spirotetramat 螺虫乙酯 (mg/kg)	EN 15662:2018	0.01	<0.01	---	---	---
Q2 LC	Spirotetramat-enol 螺虫乙酯-烯醇 (mg/kg)	EN 15662:2018	0.01	<0.01	---	---	---
Q2 LC	Spirotetramat (sum of Spirotetramat and Spirotetramat-enol expressed as Spirotetramat) 螺虫乙酯 (螺虫乙酯和螺虫乙酯-烯醇之和, 以螺虫乙酯表示) (mg/kg)	---	0.01	<0.01	GB 2763-2021	R ≤ 0.5	Pass 符合
Q2 GC	Sulfotep 治螟磷 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 0.01	Pass 符合
Q2 LC	Sulfoxaflo 氟啟虫腈 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 0.4	Pass 符合
Q2 LC	Tebufozide 虫酰肼 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 2	Pass 符合
Q2 LC	Teflubenzuron 氟苯脲 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 0.5	Pass 符合
Q2 GC	Terbufos 特丁硫磷 (mg/kg)	EN 15662:2018	0.01	<0.01	---	---	---
Q2 LC	Terbufos-sulfone 特丁硫磷磺 (mg/kg)	EN 15662:2018	0.01	<0.01	---	---	---
Q2 LC	Terbufos-sulfoxide 特丁硫磷亚砷 (mg/kg)	EN 15662:2018	0.01	<0.01	---	---	---
Q2 LC	Terbufos (sum of Terbufos, its sulfone and its sulfoxide expressed as Terbufos) 特丁硫磷 (特丁硫磷, 特丁硫磷磺, 特丁硫磷亚砷之和, 以特丁硫磷表示) (mg/kg)	---	0.01	<0.01	GB 2763-2021	R ≤ 0.01	Pass 符合
Q2 LC	Thiabendazole 噻菌灵 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 10	Pass 符合

This Certificate of Analysis (CoA) is subject to our General Terms and Conditions, which is available at our official website, on ARF, on printed CoAs, or on request. CoA authenticity: Electronic CoA in PDF has a digital signature and verification; Hard copy CoA is printed on the unique CoA letterhead; Both electronic and hard copy CoAs are with the authorised signatory's signature, the authorised testing seals including circular normal seal & rectangle paging seal, and QR Code. This CoA shall not be reproduced, except in full, without written approval of the company. The reproduced CoA is invalid if not re-sealed with the authorised testing service seals. 本分析证书 (CoA) 受我公司《通用条款及条件》约束, 该条款可通过我公司网站、分析要求表附页、CoA专用纸背面或直接索取获得。CoA真伪鉴别: 电子版带有我公司电子签名并通过校验; 纸质版打印在我公司CoA专用纸上; 电子和纸质版均带有我公司授权签字人签名、检验检测专用章 (含普通圆形章及骑缝专用长方形章)、以及二维码。未经我公司书面批准, 不得部分复制CoA。复制CoA未重新加盖我公司检验检测专用章无效。

Sections 部门	Analytes (Units) 分析物 (单位)	Methods 方法	Rpt Lmt 报告限	Results 结果	Source 限量来源	Specification 限量要求	In Spec 判定
Sample ID 样品编号: LR1079560-001							
Q2 LC	Thiamethoxam 噻虫嗪 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 0.5	Pass 符合
Q2 LC	Carbendazim 多菌灵 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 0.5	Pass 符合
Q2 LC	Trichlorfon 敌百虫 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 0.2	Pass 符合
Q2 LC	Trifloxystrobin 肟菌酯 (mg/kg)	EN 15662:2018	0.01	<0.01	GB 2763-2021	R ≤ 0.5	Pass 符合
Q2 LC	Glyphosate 草甘膦 (mg/kg)	SN/T 1923-2007	0.1	0.10	GB 2763-2021	R ≤ 0.1	Pass 符合
Q2 MT	Cadmium 镉 (mg/kg)	GB 5009.15-2014	0.003	<0.003	GB 2762-2022	R ≤ 0.05	Pass 符合
Q2 MT	Lead 铅 (mg/kg)	GB 5009.12-2017 1st Method 第一法	0.04	<0.04	GB 2762-2022	R ≤ 0.1	Pass 符合

☆2 - outside of CNAS accreditation. 在CNAS认可范围外。

Decision Rule: The results are directly compared with the specifications agreed by the client, without considering the impact of uncertainty of measurements. 判定规则: 对结果和客户认可的限值进行了直接比较, 未考虑不确定度的影响。

-----End of CoA 分析证书结束-----

司

This Certificate of Analysis (CoA) is subject to our General Terms and Conditions, which is available at our official website, on ARF, on printed CoAs, or on request. CoA authenticity: Electronic CoA in PDF has a digital signature and verification; Hard copy CoA is printed on the unique CoA letterhead; Both electronic and hard copy CoAs are with the authorised signatory's signature, the authorised testing seals including circular normal seal & rectangle paging seal, and QR Code. This CoA shall not be reproduced, except in full, without written approval of the company. The reproduced CoA is invalid if not re-sealed with the authorised testing service seals. 本分析证书 (CoA) 受我公司《通用条款及条件》约束, 该条款可通过我公司网站、分析要求表附页、CoA专用纸背面或直接索取获得。CoA真伪鉴别: 电子版带有我公司电子签名并通过校验; 纸质版打印在我公司CoA专用纸上; 电子和纸质版均带有我公司授权签字人签名、检验检测专用章 (含普通圆形章及骑缝专用长方形章)、以及二维码。未经我公司书面批准, 不得部分复制CoA。复制CoA未重新加盖我公司检验检测专用章无效。