

## 职业健康安全管理体系认证证书

证书编号: ISC-O-2022-1359

# 兹 证 明 西斯特控制设备(天津)有限公司

统一社会信用代码: 91120000MA05P7X237

**注册地址:** 天津市北辰区经济技术开发区科技园景丽路 15 号 邮编: 120113 **审核地址:** 天津市北辰区经济技术开发区科技园景丽路 15 号 邮编: 120113

#### 管理体系符合

GB/T45001-2020 / ISO45001: 2018 标准要求 认证范围:

流量仪表的生产所涉及场所的相关职业健康安全管理活动

发证日期: 2022 年 05 月 27 日 换发日期: 2023 年 05 月 04 日 有效期至: 2025 年 05 月 26 日









中国认可 国际互认 管理体系 MANAGEMENT SYSTEM CNAS C272-M

认证机构:

限公司





注: 获证组织必须定期接受监督审核,并与监督审核(查)合格通知书—并使用。

地址:北京市朝阳区北苑路168号1号楼16层1603 电话: (+86 10) 8225 2376 www.china-isc.org.cn



## Occupation Health Safety

### Management System Certificate

Registration No. ISC-0-2022-1359

This is to certify that

Systec Control Devices (Tianjin) Co., Ltd

The social credit code: 91120000MA05P7X237

Registered Address: NO. 15 Jingli Road, Technology Park of Economic Development Zone, Beichen District, Tianjin Audit Address: NO. 15 Jingli Road, Technology Park of Economic Development Zone, Beichen District, Tianjin

Which is in conformity with

GB/T45001-2020 / IS045001: 2018

This certificate covers the following scope of

Occupational health and safety man agement activities in the places inv olved in the production of flow met ers

Issue Date: 2022-05-27 Change Date: 2023-05-04 Expiration Date: 2025-05-26



Issued by:





中国认可 国际互认 管理体系 MANAGEMENT SYSTEM CNAS C272-M

Beijing International Standard united Certification Co.,Ltd.



The validity of this certificate is subject to the scanning result of the two—dimensional code of the certificate

This certificate information can be inquired on the official website of the certification authority (www.china—isc. Org. CN)

This certificate information can be inquired on the official website of China Certification and Accreditation Administration (www.cnca. Gov.cn)

Note: the certified organization must accept the supervision and audit regularly and use it together with the supervision and audit (inspection) qualification notice.

Add: Floor 16, 1603, Building 1, 168 Beiyuan Road, Chaoyang District, Beijing,china. TEL (+86 10) 82252376