

职业健康安全管理体系认证证书

证书编号: ISC-O-2023-2143-R

统一社会信用代码: 91110112MA01FBMMX0

注册地址:北京市延庆区八达岭镇营城子村西(北京八达岭山庄物业管理有限责任公司三层 3022-3023 室) 邮编: 102100 **经营地址:** 北京市通州区台湖镇通和家园 6-1-1202 邮编: 101100

管理体系符合

GB/T45001-2020 / ISO45001: 2018 标准要求 认证范围:

实验室仪器设备、机械设备和医疗器械的销售所涉及场所的相关职业健康安全管理活动

发证日期: 2023 年 11 月 09 日 有效期至: 2026 年 11 月 08 日



签发人





中国认可 国际互认 管理体系 MANAGEMENT SYSTEM CNAS C272-M







此证书信息可在国家认证认可监督管理委员会官方网站(www.enca.gov.en)上查询

此证书信息可在本认证机构官方网站(www.china-isc.org.en)上查询

此证书的有效期以证书二维码扫描结果为准。

注:获证组织必须定期接受监督审核,并与监督审核(查)合格通知书一并使用。

地址: 北京市朝阳区北苑路168号1号楼16层1603 电话: (+86 10) 8225 2376 www.china-isc.org.cn



Occupation Health Safety

Management System Certificate

Registration No. ISC-0-2023-2143-R

This is to certify that

Shengshi Chuangyuan (Beijing) Technology Co., Ltd

The social credit code: 91110112MA01FBMMX0

Registered Address: West of Yingchengzi Village, Badaling Town, Yanqing District, Beijing (Rooms 3022-3023, 3rd

Floor, Beijing Badaling Villa Property Management Co., Ltd.)

Audit Address: 6-1202, Tonghe Jiayuan, Taihu Town, Tongzhou District, Beijing

Which is in conformity with

GB/T45001-2020 / IS045001: 2018

This certificate covers the following scope of

Occupational health and safety management activities related to the sales of laboratory equipment, mechanical equipment, and medical devices

Issue Date: 2023-11-09 Expiration Date: 2026-11-08



Issued by:





中国认可 国际互认 管理体系 MANAGEMENT SYSTEM CNAS C272-M

Beijing International Standard united Certification Co.,Ltd.



The validity of this certificate is subject to the scanning result of the two–dimensional code of the certificate

This certificate information can be inquired on the official website of the certification authority (www.china-isc. Org. CN)

This certificate information can be inquired on the official website of China Certification and Accreditation Administration (www.cnca. Gov.cn)

Note: the certified organization must accept the supervision and audit regularly and use it together with the supervision and audit (inspection) qualification notice.