

## 环境管理体系认证证书

证书编号: ISC-E-2024-2863-R 兹 证 明 北京中联太信科技有限公司

统一社会信用代码: 911101146699372921

**注册地址:** 北京市昌平区科技园区超前路 9 号 B 座 2247 室 邮编: 102299 **经营地址:** 北京市朝阳区东四环中路 82 号金长安大厦 C 座 2215 室 邮编: 100022

管理体系符合

GB/T24001-2016/ISO14001:2015 标准要求 认证范围:

电力系统绝缘水平在线监测装置、电流监测分析系统的研发销售及服务;水处理设备的销售所涉及场所的相关环境管理活动

发证日期: 2024 年 06 月 11 日 有效期至: 2027 年 06 月 10 日







中国认可 国际互认 管理体系

MANAGEMENT SYSTEM CNAS C272-M







此证书信息可在国家认证认可监督管理委员会官方网站(www.cnca.gov.cn)上查询 此证书信息可在本认证机构官方网站(www.china-isc.org.cn)上查询 此证书的有效期以证书二维码扫描结果为准。

注: 获证组织必须定期接受监督审核,并与监督审核(查)合格通知书一并使用。

地址: 北京市朝阳区北三环东路8号1幢-3至26层101内8层810房间 电话: (+86 10) 8225 2376 www.china-isc.org.cn



## Environmental Management System Certificate

Registration No. ISC-E-2024-2863-R

This is to certify that

## BEIJING CENTRALTECH COMPANY LIMITED

The social credit code: 911101146699372921

Registered Address: Room 2247, Building B, No. 9, Science and Technology Park, Chaoqian Road, Changping District,

Beijing, P.R.China

Audit Address: Jin Chang An, Building C, Room 2215, 82 East 4th Ring Middle Road, Chaoyang District, Beijing,

China

Which is in conformity with GB/T24001-2016/ISO 14001:2015

This certificate covers the following scope of

Power systemsinsulation on-line monitoring system, current monitoring and analytic systemresearch and developmentsales and service, water treatment equipment sales and service related environment management activities.

Issue Date: 2024-06-11 Expiration Date: 2027-06-10



Issued by:





中国认可 国际互认 管理体系 MANAGEMENT SYSTEM CNAS C272-M

Beijing International Standard united Certification Co., Ltd.



The validity of this certificate is subject to the scanning result of the two-dimensional code of the certificate

This certificate information can be inquired on the official website of the certification authority (www.china-isc. Org. CN)

This certificate information can be inquired on the official website of China Certification and Accreditation Administration (www.cnca. Gov.cn)

Note: the certified organization must accept the supervision and audit regularly and use it together with the supervision and audit (inspection) qualification notice.