

## 质量管理体系认证证书

证书编号: ISC-Q-2023-3081-R 兹 证 明 石家庄楷瑞铁塔技术有限公司

统一社会信用代码: 91130185MA07PYQ24N

注册地址: 石家庄鹿泉区大河镇中落凌村

邮编: 050200

经营地址: 石家庄桥西区红旗大街 98 号中国银河证券西楼 5 层

邮编: 050200

## 管理体系符合

GB/T19001-2016/ISO9001:2015 标准要求 认证范围:

钢结构(铁塔)、测风设备、电子产品、钢材、五金交电的销售及测风设备的维修

发证日期: 2023 年 08 月 31 日 换发日期: 2024 年 09 月 12 日 有效期至: 2026 年 08 月 30 日







中国认可 国际互认 管理体系

MANAGEMENT SYSTEM CNAS C272-M 认证机构:





此证书信息可在国家认证认可监督管理委员会官方网站(www.cnca.gov.cn)上查询 此证书信息可在本认证机构官方网站(www.china-isc.org.cn)上查询

此证书的有效期以证书二维码扫描结果为准。

注: 获证组织必须定期接受监督审核,并与监督审核(查)合格通知书一并使用。

地址:北京市朝阳区北三环东路8号1幢-3至26层101内8层810房间 电话: (+86 10) 8225 2376 www.china-isc.org.cn



## Quality Management System Certificate

Registration No. ISC-Q-2023-3081-R

This is to certify that

## Shijiazhuang Kairui Iron Tower Technology Co., Ltd

The social credit code: 91130185MA07PYQ24N

Registered Address: Zhongluoling Village, Dahe Town, Luquan District, Shijiazhuang

Audit Address: 5th Floor, West Building, China Galaxy Securities, No. 98 Hongqi Street, Qiaoxi District,

Shijiazhuang

Which is in conformity with

GB/T19001-2016/IS09001:2015

This certificate covers the following scope of

Sales of steel structures (iron towers), wind measuring equipment, electronic products, steel, hardware and electrical equipment, and maintenance of wind measuring equipment

Issue Date: 2023-08-31 Change Date: 2024-09-12 Expiration Date: 2026-08-30









中国认可 国际互认 管理体系 MANAGEMENT SYSTEM CNAS C272-M

Beijing International Standard united Certification Co., Ltd.



The validity of this certificate is subject to the scanning result of the two—dimensional code of the certificate

This certificate information can be inquired on the official website of the certification authority (www.china-isc. Org. CN)

This certificate information can be inquired on the official website of China Certification and Accreditation Administration (www.cnca. Gov.cn)

Note: the certified organization must accept the supervision and sudit regularly and use it together with the supervision and audit (inspection) qualification notice.