



职业健康安全管理体系认证证书

证书编号: ISC-O-2025-3488-R

兹 证 明
广东连泰环保科技有限公司

统一社会信用代码: 91441900MACPW03Y3L

注册地址: 惠州市博罗县石湾镇黄巢墩大道南侧地段(厂房3)(一照多址)

经营地址: 广东省惠州市博罗县石湾镇黄巢墩大道188号

邮编: 523000

邮编: 516127

管理体系符合
GB/T45001-2020 / ISO45001: 2018 标准要求
认证范围:

复合风管(金属)的生产所涉及场所的相关职业健康安全管理活动

发证日期: 2025年01月08日

有效期至: 2028年01月07日

签发人



中国认可
国际互认
管理体系
MANAGEMENT SYSTEM
CNAS C272-M

认证机构: 北京国标联合认证有限公司



此证书信息可在国家认证认可监督管理委员会官方网站(www.cnca.gov.cn)上查询

此证书信息可在本认证机构官方网站(www.china-isc.org.cn)上查询

此证书的有效性以证书二维码扫描结果为准。

注: 获证组织必须定期接受监督审核, 并与监督审核(查)合格通知书一并使用。

地址: 北京市朝阳区北三环东路8号1幢-3至26层101内8层810房间 电话: (+86 10) 8225 2376 www.china-isc.org.cn



Occupation Health Safety Management System Certificate

Registration No. ISC-O-2025-3488-R

This is to certify that

Guangdong Liantai Environmental Protection Technology Co., Ltd

The social credit code: 91441900MACPW03Y3L

Registered Address: South side of Huangchaodun Avenue, Shiwan Town, Boluo County,

Audit Address: No. 188 Huangchaodun Avenue, Shiwan Town, Boluo

Which is in conformity with

GB/T45001-2020 / ISO45001: 2018

This certificate covers the following scope of

Occupational health and safety management activities related to the production sites of composite air ducts(metal)

Issue Date: 2025-01-08

Expiration Date: 2028-01-07

Huangyijun

Issued by:



中国认可
国际互认
管理体系
MANAGEMENT SYSTEM
CNAS C272-M

Beijing International Standard United Certification Co., Ltd.



The validity of this certificate is subject to the scanning result of the two-dimensional code of the certificate

This certificate information can be inquired on the official website of the certification authority (www.china-isc.org, CN)

This certificate information can be inquired on the official website of China Certification and Accreditation Administration (www.cnca.gov.cn)

Note: the certified organization must accept the supervision and audit regularly and use it together with the supervision and audit (inspection) qualification notice.

Add: Room 810, No. 8 Beisanhuan East Road, Chaoyang District, Beijing.

TEL (+86 10) 82252376