



质量管理体系认证证书

证书编号: ISC-Q-2025-5916-R

兹 证 明
南京腾森分析仪器有限公司

统一社会信用代码: 91320115MA1N223Y36

注册地址: 南京市江宁区万安北路 99 号 1 号楼 14 楼

邮编: 025000

经营地址: 南京市江宁区万安北路 99 号 1 号楼 14 楼

邮编: 025000

管理体系符合
GB/T19001-2016/ISO9001:2015 标准要求
认证范围:

粮食重金属检测仪及耗材(丝网印刷电极)的研制

发证日期: 2025 年 04 月 30 日

有效期至: 2028 年 04 月 29 日

签发人



中国认可
国际互认
管理体系
MANAGEMENT SYSTEM
CNAS C272-M

认证机构: 北京国标联合认证有限公司



此证书信息可在国家认证认可监督管理委员会官方网站(www.cnca.gov.cn)上查询

此证书信息可在本认证机构官方网站(www.china-isc.org.cn)上查询

此证书的有效性以证书二维码扫描结果为准。

注: 获证组织必须定期接受监督审核, 并与监督审核(查)合格通知书一并使用。

地址: 北京市朝阳区北三环东路8号1幢-3至26层101内8层810房间 电话: (+86 10) 8225 2376 www.china-isc.org.cn



Quality Management System Certificate

Registration No. ISC-Q-2025-5916-R

This is to certify that

Nanjing Tensen Analytical Instrument Co., Ltd.

The social credit code: 91320115MA1N223Y36

Registered Address: No.1 Building, 14th Floor, 99 Wan'an North Road, Jiangning District, Nanjing City

Audit Address: No.1 Building, 14th Floor, 99 Wan'an North Road, Jiangning District, Nanjing City

Which is in conformity with

GB/T19001-2016/ISO9001:2015

This certificate covers the following scope of

Development of heavy metal testing instruments and consumables (screen printed electrodes) for grain

Issue Date: 2025-04-30

Expiration Date: 2028-04-29

Huangyijun

Issued by:



中国认可
国际互认
管理体系
MANAGEMENT SYSTEM
CNAS C272-M

Beijing International Standard United Certification Co., Ltd.



The validity of this certificate is subject to the scanning result of the two-dimensional code of the certificate

This certificate information can be inquired on the official website of the certification authority (www.china-isc.org, CN)

This certificate information can be inquired on the official website of China Certification and Accreditation Administration (www.cnca.gov.cn)

Note: the certified organization must accept the supervision and audit regularly and use it together with the supervision and audit (inspection) qualification notice.

Add: Room 810, No. 8 Beisanhuan East Road, Chaoyang District, Beijing.

TEL (+86 10) 82252376