

职业健康安全管理体系认证证书

证书编号: ISC-O-2025-4162-R 兹 证 明 杭州镇定科技有限公司

统一社会信用代码: 91330110MA2B0YCMX1

注册地址: 浙江省杭州市西湖区留下街道西溪路 698 号 14 号楼 402 室 邮编: 310023 **经营地址:** 浙江省杭州市西湖区留下街道西溪路 698 号 14 号楼 402 室 邮编: 310023

管理体系符合

GB/T45001-2020 / ISO45001: 2018 标准要求 认证范围:

资质范围内二类医疗器械、半自动体外除颤器、消防器材的销售所涉 及场所的相关职业健康安全管理活动

发证日期: 2025 年 05 月 26 日 有效期至: 2028 年 05 月 25 日









中国认可 国际互认 管理体系

MANAGEMENT SYSTEM CNAS C272-M







此证书信息可在国家认证认可监督管理委员会官方网站(www.cnca.gov.cn)上查询 此证书信息可在本认证机构官方网站(www.china-isc.org.cn)上查询 此证书的有效期以证书二维码扫描结果为准。

注:获证组织必须定期接受监督审核,并与监督审核(查)合格通知书一并使用。

地址: 北京市朝阳区北三环东路8号1幢-3至26层101内8层810房间 电话: (+86 10) 8225 2376 www.china-isc.org.cn



Occupation Health Safety

Management System Certificate

Registration No. ISC-0-2025-4162-R

This is to certify that

Hangzhou Zhen Ding Technology Co., Ltd.

The social credit code: 91330110MA2B0YCMX1

Registered Address: Room 402, Building 14, No. 698, Xixi Road, Liuxia Street, Xihu District, Hangzhou City, Zhejiang

Audit Address: Room 402, Building 14, No. 698, Xixi Road, Liuxia Street, Xihu District, Hangzhou City, Zhejiang Province

Which is in conformity with GB/T45001-2020 / IS045001: 2018

This certificate covers the following scope of

Occupational health and safety management activities related to the sales of Class II medical devices, semi-automatic external defibrillators and fire-fighting equipment within the scope of qualifications.

Issue Date: 2025-05-26 Expiration Date: 2028-05-25



Issued by:





中国认可 国际互认 管理体系 MANAGEMENT SYSTEM CNAS C272-M

Beijing International Standard united Certification Co., Ltd.



The validity of this certificate is subject to the scanning result of the two-dimensional code of the certificate

This certificate information can be inquired on the official website of the certification authority (www.china-isc. Org. CN)

This certificate information can be inquired on the official website of China Certification and Accreditation Administration (www.cnca. Gov.on)

Note: the certified organization must accept the supervision and sudit regularly and use it together with the supervision and audit (inspection) qualification notice.